



TALLADIUM, INC.
SAFETY DATA SHEET
27360 W. Muirfield Lane, Valencia • California 91355
(661) 295-0900 • (800) 221-6449

Section 1 - Product and Company Identification

Date of SDS: 07/27/2009

Review Date: 10/29/2015

Revision Date: 10/29/2015

Product Identification: Bella Diamond Polishing Compound

Product Class/Use: Polishing compound for porcelain

Company Name: Talladium, Incorporated

Company Address: 27360 West Muirfield Lane
Valencia, California 91355
United States of America

General Information Telephone: (661)-295-0900

Emergency Telephone: Not required by regulations.

Section 2 - Composition/Information on Ingredients

Diamond

Alumina

Proprietary ingredients

These items are Non-Hazardous Materials

Section 3 - Hazards Identification, Including Emergency Overview

Emergency Overview: N/A

Inhalation: Dust may cause irritation to the nose, throat, lungs and mucous membranes.

Eyes: May cause irritation the eyes.

Skin: May cause irritation, redness, dryness and/or inflammation

Ingestion: May cause irritation to the digestive tract

Section 4 - First Aid Measures

Inhalation: Remove to fresh air. If breathing is difficult seek medical attention.

Eyes: If contact occurs, flush eyes immediately with ample water. If irritation develops, seek medical attention.

Skin: If contact occurs, wash off skin thoroughly with soap and water.

Ingestion: Rinse mouth out with water then drink large quantities of water. Seek medical attention.

Section 5 - Fire Fighting Measures

Extinguishing Media: Non-flammable

Explosive Lower Limit(s): N/A

OSHA Flammability Classification: N/A

Explosive Upper Limit(s): N/A

Unusual Hazard: None

If fire occurs, wear NIOSH/MSHA approved SCBA and full personal protective equipment. During a fire, irritating and/or toxic gasses may be generated from thermal decomposition. Use extinguishing media appropriate for surrounding fire.



TALLADIUM, INC. SAFETY DATA SHEET

Section 6 - Accidental Release Measures

Spill Release Procedures: Collect material and place in disposal container. Avoid contamination of ground water and soil. Dispose according to local, State and Federal regulations.

Section 7 - Handling and Storage

Handling and Storage Precautions: Use in accordance with the instructions. Use with adequate ventilation, NIOSH approved dust mask and local exhaust vacuum. Minimize dust generation and accumulation. Avoid breathing dust. Store in original container in a cool dry place

Section 8 - Exposure Controls & Personal Protection

Exposure Limit Information: N/A

Ventilation: Use adequate ventilation and exhaust vacuum to control airborne dust.

Respiratory Protection: Use appropriate NIOSH-approved respiratory protective mask.

Eye Protection: Wear safety glasses with side shields.

Skin Protection: Wear appropriate protective gloves.

Protective Hygiene: Wash hands thoroughly with soap and water after using product.

Section 9 - Physical & Chemical Properties

Boiling Point: N/A

Melting Point: Unknown

pH: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Specific Gravity: Unknown

Evaporation Rate: N/A

Solubility in Water: Insoluble

Appearance: Light Gray color solid

Odor: Wax type smell

Section 10 - Stability & Reactivity Data

Stability: Stable

Conditions to Avoid: None known

Hazardous Decomposition Products: N/A

Hazardous Polymerization: N/A

NFPA Rating: (estimated) Health: 1 Flammability: 1 Reactivity: 0

Section 11 - Toxicological Information

Toxicological Information: N/A

Section 12 - Ecological Information

Ecological Information: N/A

Section 13 - Disposal Considerations

Waste Disposal Methods: Follow all Federal, State, and local regulations.



**TALLADIUM, INC.
SAFETY DATA SHEET**

Section 14 - Transport Information

U.S. DOT Information: Not regulated.

Section 15 - Regulatory Information

Federal Regulatory Information: N/A

Section 16 - Other Information

The information and recommendations above are believed to be accurate and represent the best information currently available to us. The person receiving the above material should make their own determination as to the suitability for their use. Talladium makes no warranty expressed or implied with respect to this information and assume no liability resulting from its use.